

1 New Research Indicator Radio Button in CBMS:

On the IAR Interface Transaction Details window, you will find a new radio button, the Research Indicator. When entering a reason of rejection, this radio button will automatically be updated to “Yes”, and it will remain yes as long as the IAR transaction is ‘Rejected’ by SSA and the reason for rejection from SSA remains the same.

There is no need to research for this case again, CBMS must carry forward this indicator for the individual on the subsequent IAR transaction records as long as the IAR transaction is ‘Rejected’ by SSA and the reason for rejection from SSA remains the same.

2 New Research Indicator Column in the IAR Report:

Once this project is implemented, the **IAR Transactions rejected by SSA** and the **IAR Transactions rejected by SSA- All Counties** reports will display a new column, the Research Indicator. This column will display a “Y” when a case has been researched. And it will remain “Y” as long as the IAR transaction is ‘Rejected’ by SSA and the reason for rejection from SSA remains the same. If the rejection reason changes, the Research Indicator column will be blank.

IAR Transactions rejected by SSA						
Case Number	Individual Name	Social Security Number	Status Code	Reason of Rejection	Transmission Date	Research Indicator
				CASE IN PENDING STATUS		Y
Case Number	Individual Name	Social Security Number	Status Code	Reason of Rejection	Transmission Date	Research Indicator
				CASE IN PENDING STATUS		Y

When this field is blank, this will indicate that the technician has to research this case again and the user will need to complete the research and the ‘Rejection Research’ field in CBMS.